



Spring rate / Rider weight

CR125 2010-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,4	59/62-270-50
Rider weight		
40-45 kg	3,8	44
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	STD	STD
75-85 kg	4,6	52
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58

WR125 2011-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-50
Rider weight		
40-45 kg	3,6	44
45-55 kg	3,8	46
55-65 kg	4,0	48
65-75 kg	STD	STD
75-85 kg	4,4	52
85-95 kg	4,6	54
95-105 kg	4,8	56
105-115 kg	5,0	58

WR250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-54
Rider weight		
45-55 kg	AT REQ.	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

TE250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-52
Rider weight		
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

TC250 2010-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,4	59/62-270-54
Rider weight		
45-55 kg	3,8	48
55-65 kg	4,0	50
65-75 kg	4,2	52
75-85 kg	STD	STD
85-95 kg	4,6	56
95-105 kg	4,8	58
105-115 kg	5,0	60
115-125 kg	5,2	62

WR300 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,2	59/62-270-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

TE310 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-52
Rider weight		
45-55 kg	4,0	46
55-65 kg	4,2	48
65-75 kg	4,4	50
75-85 kg	STD	STD
85-95 kg	4,8	54
95-105 kg	5,0	56
105-115 kg	5,2	58
115-125 kg	AT REQ.	60

TE450 2010		
	Fork spring	Shock spring
Standard spring	43,5-460-4,4	59/62-270-56
Rider weight		
45-55 kg	3,8	50
55-65 kg	4,0	52
65-75 kg	4,2	54
75-85 kg	STD	STD
85-95 kg	4,6	58
95-105 kg	4,8	60
105-115 kg	5,0	62
115-125 kg	5,2	64

Note: Rider weight is body weight without clothing.





Spring rate / Rider weight

TE449 2011-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-50
Rider weight		
45-55 kg	4,0	44
55-65 kg	4,2	46
65-75 kg	4,4	48
75-85 kg	STD	STD
85-95 kg	4,8	52
95-105 kg	5,0	54
105-115 kg	5,2	56
115-125 kg	AT REQ.	58

TC450 2010		
	Fork spring	Shock spring
Standard spring	43,8-455-4,8	59/62-270-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

TC449 2011-2013		
	Fork spring	Shock spring
Standard spring	43,8-455-4,8	59/62-270-50
Rider weight		
45-55 kg	4,2	44
55-65 kg	4,4	46
65-75 kg	4,6	48
75-85 kg	STD	STD
85-95 kg	5,0	52
95-105 kg	5,2	54
105-115 kg	AT REQ.	56
115-125 kg	AT REQ.	58

TE511 2010-2013		
	Fork spring	Shock spring
Standard spring	43,5-460-4,6	59/62-270-50
Rider weight		
45-55 kg	4,0	44
55-65 kg	4,2	46
65-75 kg	4,4	48
75-85 kg	STD	STD
85-95 kg	4,8	52
95-105 kg	5,0	54
105-115 kg	5,2	56
115-125 kg	AT REQ.	58

Note:

Rider weight is body weight without clothing.



Spring rate / Rider weight

TC85 2014-2015		
	Fork spring	Shock spring
Standard spring	38-425-3,4	59-220-35
Rider weight		
30-35 kg	2,8	AT REQ.
35-40 kg	3,0	30
40-45 kg	3,2	30
45-50 kg	STD	STD
50-55 kg	STD	STD
55-60 kg	3,6	40
60-65 kg	3,8	45
65-70 kg	4,0	50
70-75 kg	AT REQ.	55
75-80 kg	AT REQ.	60

TC125 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,4	63-260-48
Rider weight		
45-55 kg	3,8	AT REQ.
55-65 kg	4,0	44
65-75 kg	4,2	46
75-85 kg	STD	STD
85-95 kg	4,6	50
95-105 kg	4,8	52
105-115 kg	5,0	54
115-125 kg	5,2	56

TC125 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,4	63-260-48
Rider weight		
45-55 kg	3,8	AT REQ.
55-65 kg	4,0	44
65-75 kg	4,2	46
75-85 kg	STD	STD
85-95 kg	4,6	50
95-105 kg	4,8	52
105-115 kg	5,0	54
115-125 kg	5,2	56

TC250 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

TC250 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC250 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC250 2015		
	Fork spring	Shock spring
Standard spring	43,8-465-4,6	63-260-54
Rider weight		
45-55 kg	4,0	48
55-65 kg	4,2	50
65-75 kg	4,4	52
75-85 kg	STD	STD
85-95 kg	4,8	56
95-105 kg	5,0	58
105-115 kg	5,2	60
115-125 kg	AT REQ.	62

FC350 2014		
	Fork spring	Shock spring
Standard spring	43,2-485-4,8	63-260-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

FRS

Franz van der Hoff

Venloer Strasse 74

41844 Wegberg

Telefon: + 49 (0) 24 34 - 16 17





Spring rate / Rider weight

FC350 2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,8	63-260-56
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

FC450 2014		
Standard spring	Fork spring	Shock spring
	43,2-485-5,0	63-260-56
Rider weight		
45-55 kg	4,4	50
55-65 kg	4,6	52
65-75 kg	4,8	54
75-85 kg	STD	STD
85-95 kg	5,2	58
95-105 kg	AT REQ.	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

FC450 2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,8	63-260-57
Rider weight		
45-55 kg	4,2	50
55-65 kg	4,4	52
65-75 kg	4,6	54
75-85 kg	STD	STD
85-95 kg	5,0	58
95-105 kg	5,2	60
105-115 kg	AT REQ.	62
115-125 kg	AT REQ.	64

TE125 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-3,8	63-260-50
Rider weight		
45-55 kg	AT REQ.	44
55-65 kg	AT REQ.	46
65-75 kg	3,6	48
75-85 kg	STD	STD
85-95 kg	4,0	52
95-105 kg	4,2	54
105-115 kg	4,4	56
115-125 kg	4,6	58

TE250/300 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-4,2	63-260-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

FE250/300 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-465-4,2	63-260-54
Rider weight		
45-55 kg	3,6	48
55-65 kg	3,8	50
65-75 kg	4,0	52
75-85 kg	STD	STD
85-95 kg	4,4	56
95-105 kg	4,6	58
105-115 kg	4,8	60
115-125 kg	5,0	62

FE450/501 2014-2015		
Standard spring	Fork spring	Shock spring
	43,8-455-4,4	63-260-56
Rider weight		
45-55 kg	3,8	50
55-65 kg	4,0	52
65-75 kg	4,2	54
75-85 kg	STD	STD
85-95 kg	4,6	58
95-105 kg	4,8	60
105-115 kg	5,0	62
115-125 kg	5,2	64

Note: Rider weight is body weight without clothing.

FRS
 Franz van der Hoff
 Venloer Strasse 74
 41844 Wegberg
 Telefon: + 49 (0) 24 34 - 16 17

